

SPECIFICATIONS

M134



TOYO
TIRES

M134

The **M134** from Toyo Tires is a tubeless highway-rib light truck tyre suitable for all axle positions. Incorporating Toyo's unique 'e-balance' design technology for improved cornering performance, the M134 also boasts a wide tread width, wide shoulder ribs (and square shoulder design) and a flat crown radius for optimum handling and improved wear qualities.

The M134 can be fitted to Hino Dutro and 300 series trucks, Mitsubishi Canter trucks and Mitsubishi Rosa minibuses.

Steer axle - most suitable, drive axle - suitable, trailer - suitable



Features & Benefits



Four wide tread ribs with square shoulder edges

Directional stability and minimised tread movement for minimised tread wear



Three wide circumferential grooves

Aquaplaning resistance/wet road grip



Wide tread width and large footprint


Optimum grip levels and tyre life



Developed using "e-balance" tyre design technology

More even distribution of strain for improved tyre life, uniformity and endurance

Suitability



Size & Specifications

Tyre Size	Load /Speed Rating	Tread Depth (mm)	Inflated Dim.		Weight (kgs)	Max Load (kgs)	Max Cold Pressure (kPa)	Measuring Rim Width (inch)	Approved Rim Width Codes (inch)
			O.D. (mm)	O.W. (mm)					
195/85R15	113N	10.1	711	194	15.6	1150	600	5.5	5.0 - 6.0
185/85R16	111N	9.6	722	186	15.9	1090	600	5.5	4.5 - 6.0
195/85R16	114N	10.1	736	194	17.0	1180	600	5.5	5.0 - 6.0
205/85R16	117N	10.1	751	202	18.0	1285	600	5.5	5.0 - 6.5
215/85R16	120L	10.6	771	218	21.2	1400	600	6	5.5 - 7.0
215/70R17.5	118N	9.6	747	219	20.2	1320	600	6	6.0 - 6.75

TOYO TIRES[®]



Find a dealer



1800 454 065



Toyo Tyre & Rubber Australia Limited
137-149 Airds Road, Minto, NSW 2566

Visit us at **toyotires.com.au**